

WORK LIGHTS

115 years
1906 - 2021



LIGHTING SOLUTIONS
FOR HIGH PERFORMANCE

LIGHTING SOLUTIONS FOR HIGH PERFORMANCE

Work light of the future

The sophisticated SCANGRIP work lights are second-to-none and made for the real professional who needs the best tool he can get for the task. The full product line-up covers all kinds of work light solutions with superior quality across the entire range. These are lights made for work and built to last.

Latest technologies for best performance

SCANGRIP constantly push back the boundaries of LED lighting and battery technology, creating new cutting-edge work lights. We always reach for that extra brightness, that extra operation time, those little touches that make a real difference when you need the best work light you can get. We guarantee to provide you with only premium products for optimal performance.

Extreme durability and functional design

SCANGRIP work lights are extremely durable and made to last and do the job again and again. The entire product line is sturdy and endures the really demanding working environment which expose both the professional worker and his tools to rough, wet, and dirty conditions. The lights are covered by a high IP protection level to resist even outdoor use in all kinds of weather.

GO GREEN – A better choice for the climate

SCANGRIP work lights are a choice in a greener direction where the climate impact is minimized on an everyday basis. All our lighting solutions are developed to be energy saving and with a long lifetime. Whether you compare energy efficiency with traditional technologies or other LED products, you will save energy by choosing a SCANGRIP work light. The LED PERFORMANCE indicates the actual light output of the LED in a SCANGRIP work light and we aim for the highest number to achieve less power consumption compared to other solutions on the market.



Extended warranty

Every SCANGRIP work light is manufactured at our own factories and subject to strict quality controls. Our lights meet the highest quality standards and are built to last. They are so good that we offer a warranty extension. All SCANGRIP work lights come with a 3-year warranty. Because we stand by the products we offer.



3
year
warranty

PATENT PROTECTED

// The "ORIGINAL SCANGRIP" symbol is your guarantee that the product is designed, developed and made by SCANGRIP, and protected by EU design patent.

High quality

SCANGRIP products are known for their high quality and market-leading price-to-quality ratio. We have comprehensive quality control processes and we are ISO 9001 certified.

Unique design

Our design teams are inspired by the concept of Danish design and they gather innovative ideas from other industries, to ensure that new SCANGRIP products offer maximum performance, durability and ease of use.

Europe's leading manufacturer

We are proud to be recognised as Europe's number one manufacturer of durable and functional LED Work Lights for professionals.

First to market

Our focus on new product development ensures we are always two steps ahead of our competition and first to market with new and innovative LED work lights.

Since 1906

SCANGRIP has manufactured high quality hand tools for the industrial and automotive sectors for more than 115 years.



SCANGRIP - work lights of the future

			
MAG series 06	UNIFORM series 08	SLIM series 10	LINE LIGHT handlights 12
			
LINE LIGHT bonnet light 14	Headlights 16	STAR 20	NOVA series 22
			
AREA 32	Stands and suspensions 34	FLASH LIGHT series 36	LINE LIGHT concept 40
			
LINE LIGHT custom 42	Technical specifications 44		

MAG – Europe’s bestselling work lights even further improved

// The rechargeable hand-held work lights everybody knows – and loves! With significantly improved light output, battery upgrade and even more functionality, the popular MAG work lights offer great value in every workshop operation.

The MAG series consists of universal and powerful multi-purpose work lights that all professional users must have!

- Significantly improved with higher lumen output
- Integrated work light and flashlight functionality in one
- Strong built-in magnetic holders and retractable hooks for handsfree operation
- New stepless dimmer function



// Updated and more powerful than ever

Taking advantage of the latest high performance LED technology, the MAG range comprises extremely powerful work lights providing significantly improved light output.

// Multipurpose with cool design

The characteristic and elegant design of the MAG handlights provides an ergonomic and user-friendly grip. Place them anywhere you want with the strong built-in magnetic holders and retractable suspension hooks to obtain complete flexibility. The light head is flexible and tilts up to 180 degrees.



MAG
03.5400XX

Work light with SMD LEDs and spotlight providing 300 lumen

EU DESIGN PATENT
2954123



MAG PRO
03.5690XX

Work light with COB LEDs and spotlight providing 600 lumen

EU DESIGN PATENT
2954123



MINI MAG PRO
03.5692

Work light with COB LEDs and spotlight providing 200 lumen

EU DESIGN PATENT
3457038



// Rechargeable inspection penlight

MAG PEN 3 is improved in lumen output and functionality, providing powerful illumination both from the light head and precision top light.

The design is compact, allowing access in the most inaccessible places. It comes with built-in magnets both in the turnable clips and at the base for flexible positioning.



MAG PEN 3
03.5116

Pencil work light with SMD LEDs and spotlight providing 80 lumen



UNIFORM – Extremely durable work lights

// Upgraded to the highest possible performance.

SCANGRIP is introducing upgraded and improved versions of the entire UNIFORM work light series.

The Chip-On-Board (COB) LED strip lights provide a unique, powerful and completely uniform illumination which is ideal for all demanding work operations.

- Rechargeable COB LED work light series
- Completely uniform and powerful illumination
- Extremely durable and sturdy
- Waterproof, IP65 rated
- Rechargeable with USB cable

ORIGINAL SCANGRIP SINCE 1906



3 year warranty

PATENT PROTECTED



UNIFORM
03.5407AU

Work light with top flashlight providing up to 500 lumen


Extremely durable work light

In this product range, UNIFORM is the big brother, offering all the functionality you can dream of. Soon it will become your favourite, multifunctional work light. Extremely durable and powerful.

An intelligent battery indicator at the front keeps you informed about the battery level. 2-step operating option: Step 1 = 100%, step 2 = 50% light output.

EU DESIGN PATENT
2954123

Slim charging base for easy wall mounting




UNIPEN
03.5420

Pencil work light providing up to 150 lumen with top flashlight

Small and handy shape, supplied with pocket clip and 2-step operating option.

EU DESIGN PATENT
3451038



ONLY 13mm



MINIFORM
03.5404XX

Pocket-sized, ultra-slim work light with top flashlight providing up to 200 lumen

With comfortable and ergonomic grip and 2-step operating option.

EU DESIGN PATENT
5597010



Flexible light head tilts up to 180 degrees. Supplied with a strong built-in magnet and a turnable sturdy hook designed to fit the work belt.



UV-FORM
03.5408XX

EU DESIGN PATENT
2373282

Work light with UV top light (400nm) providing up to 250 lumen




UV-FORM is a rechargeable LED work light with powerful 1.8W UV-light on the top - the most powerful UV-light on the market. Basically you get a universal indispensable work light and UV detection in one, and at the same time it replaces special UV detection lights.

The ultraviolet light is intended for leak detection in air-conditioning systems by means of trace elements. Also useful for leak detection of larger, complex refrigeration/freezing appliances, process cooling systems, heat pump systems etc.

SLIM – The only 3-in-1 slim light on the market


// The SCANGRIP SLIM light series provides a true three-in-one, flexible and multifunctional work light for all kinds of application areas.

- 3-in-1: inspection light, work light and flashlight in one light
- Extremely powerful illumination up to 500 lumen with a powerful flashlight function
- Ultra-slim and compact design
- Strong built-in magnet and hook for flexible positioning
- Choose between two light settings (50% or 100%) for maximised operating time
- Rechargeable, providing up to 6h operation time



// Ultra-slim light for inspection

With a diameter of only 9 mm, the ultra-thin, compact design allows inspection in even the most inaccessible and narrow work areas. This makes the SLIM lights ideal for very demanding and difficult inspection jobs.



// Work light in pocket-size

The two SLIM lights are designed with a 100% foldable body. When fully folded the light can be used as a traditional hand-held work light. In folded position, the SLIM is reduced to pocket-size – compact and portable to take with you everywhere.



// Flashlight function

The powerful 100 lumen spot light of the SLIM lights provides you with a flashlight function. As a unique feature, never seen before, SLIM can be used as flashlight when the light is folded, providing a powerful flashlight with a handy, firm grip.



EU DESIGN
PATENT
3451038



MINI SLIM
03.5610XX

Ultra-slim 3-in-1 inspection light with spotlight providing up to 200 lumen



SLIM
03.5612XX

Ultra-thin 3-in-1 inspection light with spotlight providing up to 500 lumen



ULTRA SLIM inspection handlights

// The sophisticated and streamlined LINE LIGHT inspection handlights are made in Denmark, and present a perfect example of our ability to push the boundaries of LED lighting, creating work lights with optimal performance, extreme durability and lots of bright functionalities.


- Sturdy and waterproof, IP65 rated
- Ultra-slim design with a 25mm diameter allows inspection in even most inaccessible places
- Flexible positioning with adjustable hook with magnet
- Flexible gooseneck fixtures available as optional accessories

ORIGINAL SCANGRIP
SINCE 1906
MADE IN DENMARK

3 year warranty
PATENT PROTECTED



Both lights are delivered with adjustable hook with clip holder and magnet
03.5312




LINE LIGHT C+R
03.5243AU

Inspection work light with DUAL SYSTEM and top spotlight providing up to 900 lumen




LINE LIGHT R
03.5244XX

Rechargeable inspection work light with spotlight providing up to 600 lumen



The very slim design with a diameter of only 25mm makes it possible to illuminate even hard to reach compact areas.

DUAL 2 in 1 SYSTEM



LINE LIGHT *bonnet light*

// The most superior bonnet light on the market.

- Improved light output (1400 lumen)
- Dust and waterproof, IP65 rated
- The slimmest and most compact bonnet light on the market
- Extremely low weight, less than 1000g
- Choose between two light settings (50% or 100%) for maximised operating time

DUAL 2 in 1 SYSTEM

DUAL SYSTEM is a new, intelligent and innovative lighting functionality.

The new BONNET LIGHT is a DUAL SYSTEM which means it is both rechargeable and comes with a 5m cable offering unlimited application possibilities and complete freedom. Very easy to change over: it only takes a second to connect the power cable – or disconnect when needed.



// Illuminates the entire engine bay

The BONNET LIGHT provides you with an extremely bright and powerful illumination of the entire engine bay.

Supplied with an adjustable telescopic holder with soft-padded hook ends providing a firm and scratch-free grip on the vehicle. The holder is compact and takes up little storage space.



LINE LIGHT BONNET C+R
03.5240AU


Use the LINE LIGHT BONNET C+R as a large inspection light without the cable.



DUAL 2 in 1 SYSTEM



Inside the cabin the BONNET LIGHT may also be used as a work light either mounted by the telescopic holder or mounted onto the windscreen by the flexible arm with suction cup.



// FLEXIBLE suspensions


A range of accessories are available to position the LINE LIGHT.



GOOSENECK
03.5219
20 cm flexible arm with clip holder and ø60 mm suction cup.



GOOSENECK
03.5218
20 cm flexible arm with clip holder and ø60 mm magnet.



HOOK
03.5312
Adjustable hook with clip holder and magnet.



MAGNETIC CLIP HOLDER
03.5257
Powerful magnetic clip holder.

HEADLIGHTS *for professionals*

ORIGINAL
SCANGRIP
SINCE 1906

// Pursuing the vision of designing innovative work lights for the professional end-user.

- Illuminates your entire workspace
- Rechargeable
- Long operating time
- Easy to operate
- Sensor function with touchless on/off switch

As opposed to all other headlamps providing a beam of light, the I-VIEW and ZONE headlamps are designed to provide optimum work light illuminating your entire work area.

Supplied with the newest COB LED technology, both headlamps provide extremely powerful illumination which spreads the uniform light and lightens up your entire field of view.

With I-VIEW and ZONE headlamps, you can avoid turning the head to illuminate your actual workspace.

NEW
Upgraded
version
2021

I-VIEW
03.5626

EU DESIGN
PATENT
2635946



// Rechargeable I-VIEW with touchless sensor



I-VIEW is upgraded with the very newest rechargeable battery technology, providing extremely powerful illumination up to 400 lumen in a new modern design. When set on sensor mode I-VIEW is switched on/off only by waving a hand in front of the lamp.



It is supplied with stepless dimmer function for adjustable light output and a battery indicator. The design is ergonomic and lightweight for a perfect, comfortable fit, and the woven band is strong and adjustable. Dust and waterproof (IP65). As optional accessory, the SCANGRIP POWERBANK 03.5782 can be used for increased operating time.

SCANGRIP POWER BANK
03.5782



// Extend the operating time

SCANGRIP POWERBANK is specially developed for I-VIEW as an optional accessory which extends the total operating time to 5.5 hours at full power.

ZONE
03.5426



EU DESIGN
PATENT
3451038

STANDARD HEADLIGHT I-VIEW and ZONE HEADLIGHTS



// Rechargeable ZONE headlight

The ZONE headlight is designed to provide optimum work light illumination of the entire work area, like the I-VIEW.

ZONE is designed for professional use. It is sturdy and yet has a low weight of only 84g. ZONE provides 75/150 lumen.



3
year
warranty

PATENT PROTECTED

NIGHT VIEW – for work in the dark

// New headlight that keeps your night vision.

- Designed for work in the dark
- Rechargeable with touchless sensor function
- Illuminates your entire work space
- Durable, sturdy and waterproof
- Switch between normal white light and red light

// Choose between white and red work light

The red-light is intended for work in the dark and provides light without overexposing the retina, while at the same time keeping the eyes adjusted to the dark.

The red-light functionality is mostly known from the military to read maps on expeditions at night, but is also useful in civilian professions at night, such as on ships and offshore. On ships it is particularly useful on the bridge, preserving your night vision so you can work at the control panel. Headlights with red-light mode are also well suited for security guards that work at night in dark surroundings.


// Newest lighting technology

The NIGHT VIEW provides extremely powerful illumination which spreads the uniform light to the maximum output and lightens up your entire field of view.

NIGHT VIEW is provided with the newest rechargeable battery technology with extraordinary long duration, and sets new standards for professional work light. When set on sensor mode, NIGHT VIEW is turned on/off only by waving a hand in front of the light. Thus, the light can easily be switched on/off, even when wearing thick gloves.

Keep your night vision

NIGHT VIEW
03.5438XX




STANDARD
HEADLIGHT



NIGHT VIEW
HEADLIGHT



EU DESIGN
PATENT
2635946



STAR – Work light and floodlight in one

// STAR is the missing link between a work light and a floodlight. It is a new multifunction work light that does it all!

- Extremely powerful illumination, up to 1000 lumen
- Rechargeable, providing up to 5h operation time
- Waterproof, IP65 rated
- Ergonomic design for a comfortable, firm hand grip
- Flexible handle for multifunctional positioning and application
- Sturdy handle with built-in magnet
- Direct mounting on the SCANGRIP TRIPOD
- Durable housing made of shock-resistant plastic material
- Built-in power bank



// Multifunctional work light

STAR is designed to be the work light that does it all. The light is ergonomically designed to be used as a hand-held work light. Extending the position of the handle, the light transforms itself to be a searchlight.



EU DESIGN
PATENT
3451038

// Handy floodlight

Due to the extremely powerful light output, STAR is also applicable for illumination of a larger working area, despite its small size compared to other floodlights. The handle is designed for direct mounting on the SCANGRIP TRIPOD.

// Flexible positioning

Due to the flexible handle, the STAR can stand in different positions to obtain the optimal lighting angle for a specific work task. The handle is also clickable in a fixed position to serve as a hook for suspension. Using the powerful built-in magnet in the handle, the STAR can be placed in flexible positions on any metallised surface.



// Power bank

Built-in power bank with USB outlet to charge mobile devices.



Flexible positioning



STAR
03.5620XX



Position the light directly on the SCANGRIP TRIPOD up to 3m

Hand-held work light



NOVA range – world's best work lights for the professional user

// SCANGRIP's range of NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market. Made to last and do the job again and again. As with all our WORK LIGHTS, they come with an extended 3-year warranty.

- Most sturdy and durable work lights made for ROUGH SERVICE USE
- Extremely powerful illumination, up to 10,000 lumen
- Light dimmable in 5 steps
- Waterproof (IP67 or 65/64 rated) for all kinds of outdoor weather conditions
- Stands and suspensions for flexible lighting positioning

ORIGINAL SCANGRIP SINCE 1906



3 year warranty
PATENT PROTECTED

// NOVA work lights for every working situation

The NOVA range provides the widest range of durable work lights in the world. Choose the NOVA that suits you, from the various models: portable, rechargeable, with cable or with exchangeable batteries.

// Extreme durability

All NOVA products are made of die-cast aluminium which make them extremely sturdy and shockproof. The NOVA range is designed to endure the rough, wet and dirty conditions of the professional working environment, and withstand outdoor work in all kinds of weather conditions. Waterproof, IP65 rated.

// Designed for efficient workshop use

The COB (Chip-On-Board) LED provides a uniform and completely even illumination with colour temperature close to daylight which is particularly effective as work lighting. The light dimmer function makes it possible to adjust the light into five different levels.



Flexible stand



Slim design

// Various NOVA models

Rechargeable and portable



1000 / 2000 lumen

Rechargeable with DUAL SYSTEM



4000 / 6000 lumen

With cable



4000 / 12000 lumen

Rechargeable with DUAL SYSTEM and SCANGRIP POWER SOLUTION exchangeable batteries



4000 / 6000 / 10000 lumen


SPS7//
SCANGRIP POWER SOLUTION

DUAL 2 in 1 SYSTEM

NOVA MINI – Extremely compact handheld work light

// With its extremely compact and unique design, the NOVA MINI is a brand-new hand held floodlight that is the ultimate “must-have” for professionals in all industries.

- Ultra-slim and compact design
- Extremely powerful illumination, up to 1000 lumen
- SMART GRIP 4-in-1 system for a comfortable, firm hand grip and flexible positioning
- Stepless dimmer function
- Charging indicator



// Small-sized with super powerful illumination

Featuring the latest LED technology, NOVA MINI is incredibly powerful and provides up to 1000 lumen – which is absolutely unique for such a small lamp.

As part of the popular NOVA family, NOVA MINI is based on all the same unique and well-known features that the NOVA series is known for. With its compact dimensions, it is more than twenty times smaller than the NOVA 10K and fits perfectly into your pocket.

NOVA MINI is supplied with a practical on/off button on the side which also acts as a light control. Adjust the light output with the stepless dimmer function in the range of 10% to 100%.

// SMART GRIP 4-in-1 system

The lamp is supplied with a special, patented SMART GRIP 4-in-1 system that integrates several multi-functions in the same unit. The ring is based on the functionality you know from e.g. mobile phones which makes it easier and more convenient to keep the lamp in your hand for a long time. It relieves the muscles and increases ergonomics.

The clip is designed to fit the work belt and carry the lamp the entire day, and when both hands are needed for a task, the strong built-in magnet can be used for flexible positioning. Furthermore, SMART GRIP can be used as a stand on any available surface.



pat. pend.
SMART GRIP 4 in 1



NOVA MINI
03.6010



A charge indicator on the side of the lamp keeps you informed about the battery level.

NOVA R – Portable, handheld rechargeable work light

// With significantly improved light output and battery capacity, the popular handheld NOVA R now provides even more light and longer operating time - for the same price.

- Rechargeable COB LED work light, up to 2000 lumen
- Ultra-slim and compact design
- Light dimmable in 5 steps
- Flexible positioning
- Bracket with built-in magnetic function
- Hand carry handle
- Built-in power bank



EU DESIGN PATENT 4070035



// Portable and universal work lights

The NOVA handlamps are universal all-round work lights designed for the professional user. They feature the latest high-performance COB LED technology and provide up to 2000 lumen with a uniform and even illumination. The light dimmer function makes it possible to adjust the light into five different levels.

The durable construction approves the NOVA handlamps to ROUGH SERVICE USE which makes them perfect for the demanding, rough working environment.



As an extra feature, they are also supplied with a built-in powerbank with USB outlet to charge mobile devices.



Light dimmable in 5 steps

// Multifunctional design for high flexibility

NOVA R is easy to carry and is ergonomically designed for a good grip on the handle, which is also equipped with powerful integrated magnets for flexible mounting. Due to the flexible handle, NOVA R can be placed in different positions to obtain the desired lighting angle. The handle is also designed for direct mounting on the TRIPOD or the SCAFFOLDING BRACKET.



NOVA R
03.5456AU




NOVA – The world’s most durable work lights

// The original NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market. They are universal work lights for the most challenging lighting operations in every rough and demanding working environment.

- Rechargeable versions with advanced DUAL SYSTEM
- Display for battery capacity and remaining operating time
- Integrated carrying handle
- BLUETOOTH light control app for NOVA 12K

// Designed for efficient workshop use



The light dimmer function makes it possible to adjust the light output in five different levels. The integrated carrying handle makes it easy to carry the light by hand plus the flexible stand can be used as a hanger to position the light in the desired lighting angle. The stand is designed for direct mounting on the SCANGRIP TRIPOD.

EU DESIGN PATENT
2954123



// Rechargeable NOVAs

NOVA products with the unique DUAL SYSTEM are both rechargeable and with cable, providing you with unlimited application possibilities. The DUAL SYSTEM connection is improved for easier and faster mounting and disconnecting the cable. The rechargeable versions are also supplied with a user-friendly display showing both battery capacity and the remaining operating time.



NOVA 4K C+R
03.5441AU

Work light with DUAL SYSTEM providing up to 4000 lumen

DUAL 2 in 1 SYSTEM



NOVA 6K C+R
03.5443AU

Work light with DUAL SYSTEM providing up to 6000 lumen

DUAL 2 in 1 SYSTEM

// NOVA with cable

The NOVA range offers two cable models, providing extremely powerful illumination. With a light output of up to 12000 lumen, NOVA 12K is a very powerful SCANGRIP light designed for some of the most challenging lighting operations.

The integrated BLUETOOTH light control feature allows you to easily control up to four work lights. The light control also makes it possible to turn on/off the light and adjust the light output to suit the work task in question. The BLUETOOTH application is perfect when working with one or more hard-to-reach lights.



NOVA 4K
03.5440AU

Work light with 5 m cable providing up to 4000 lumen



NOVA 12K
03.5444AU

Work light with wireless light control and 5 m cable providing up to 12000 lumen

LIGHT CONTROL



Bluetooth®

On/off dimmer control



3
year warranty

PATENT PROTECTED

NOVA SPS – New ground-breaking work light range

// SCANGRIP is proud to present the world's most powerful and sturdy work lights with the new innovative SPS battery system, providing unlimited availability to light with new, patented SCANGRIP POWER SOLUTION.

- DUAL SYSTEM 2-in-1 with exchangeable battery pack allows the light to be powered either by the rechargeable battery or with the power supply from the battery charger
- Integrated backup battery functionality – up to 1 hour's use with 1000 lumen without battery or cable
- Display for battery capacity and remaining operating time
- BLUETOOTH light control app with extended functionality



Built-in power bank

EU DESIGN PATENT 5597010

SPS7//
SCANGRIP POWER SOLUTION



Use battery charger directly on the light as power supply



Change battery



Charge the exchangeable battery

// SCANGRIP POWER SOLUTION

SCANGRIP has taken advantage of new, high performance battery technologies and invented an innovative concept of flexible and reliable power supply. The unique, patented concept is called: SCANGRIP POWER SOLUTION and it provides you with unlimited access to light.

A new, fully-charged battery can be easily installed, allowing you to continue to work while another battery is charging. Or you can simply add the charger directly to the light to get power supply. The integrated battery backup function prevents you from being without light at any time.

// Always light. Never left in the dark

With the new, innovative SPS system you will never experience being completely without light and left in total darkness. No matter how limited your access is to power supply, the SPS ensures that you always have the necessary light to carry out your job. SPS provides complete freedom, flexibility and maximum work efficiency.

Bluetooth



BLUETOOTH - Light control app

- Dimmer light output into five levels 10%-100%
- Switch on/off
- Renaming individual lights
- Assign pin code
- Check battery level
- Control up to four lights

Compliant with iPhone 5 or higher / Android 5.0 or higher. Go to iTunes App Store to download the app or download the app from scangrip.com



NOVA 4 SPS
03.6000AU

NOVA 6 SPS
03.6001AU

NOVA 10 SPS
03.6002AU

Work light with SPS and BLUETOOTH providing up to 4000 lumen. Incl interchangeable battery and charger.

Work light with SPS and BLUETOOTH providing up to 6000 lumen. Incl interchangeable battery and charger.

Work light with SPS and BLUETOOTH providing up to 10000 lumen. Incl interchangeable battery and charger.

Always light. Never left in the dark.

ORIGINAL SCANGRIP SINCE 1906

3 year warranty

PATENT PROTECTED

AREA 10 SPS – 360° work light with exchangeable battery

// AREA 10 SPS is the worlds' first compact and portable area work light with exchangeable battery. Providing a diffused and uniform light, it is ideal for the professional user who requires powerful and efficient illumination of the entire work site.

ORIGINAL SCANGRIP
SINCE 1906

- Diffused, non-blinding light, up to 10000 lumen
- Portable due to compact design and low weight
- DUAL SYSTEM 2-in-1 with exchangeable battery pack – use both rechargeable with battery or with power supply from the battery charger
- Integrated backup function – up to 1h use with 1000 lumen without battery or cable
- Dimmable in five steps
- User-friendly BLUETOOTH light control app



Change between 360° and 180° illumination



EU DESIGN PATENT
7180187



Bluetooth®

BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10%-100%
- Change between 360° and 180° illumination
- Switch on/off, check battery
- Group control function, up to 4 lamps
- Assign pin code

Compliant with iPhone 5 or higher / Android 5.0 or higher. Go to iTunes App Store to download the app or download the app from scangrip.com

// Powerful illumination of the entire work site

AREA 10 SPS provides a diffused and non-blinding work light with large dispersion. You can change between 360° and 180° illumination according to the work task and adjust the light output into five different levels by the built-in dimmer function. The compact design with a carrying handle makes AREA 10 SPS extremely handy and easy to move around. It is also supplied with a hook for flexible positioning and can be mounted directly on the SCANGRIP TRIPOD.

// High flexibility and long operating time

AREA 10 SPS is supplied with the innovative SCANGRIP POWER SOLUTION system, providing high flexibility and unlimited availability to light. You can easily exchange the battery or simply add the charger directly to the lamp to get power supply. AREA 10 SPS also has an integrated battery backup function and is supplied with a built-in power bank with USB outlet to charge mobile devices.

// BLUETOOTH light control

The integrated BLUETOOTH light control adds the convenience and increases efficiency by allowing the work light to be turned on or off and the light output adjusted using your mobile device.

Bluetooth
AREA 10 SPS
03.6009AU

360° work light with SPS and BLUETOOTH providing up to 10000 lumen. Includes exchangeable battery and charger.



Exchange battery or use battery charger directly on the lamp as power supply



Built-in hook for flexible positioning



Built-in power bank

3
years warranty

PATENT PROTECTED

STANDS and SUSPENSIONS

// Designed for direct mounting of the NOVA work lights, STAR, and AREA 10 SPS without bracket. Made of durable and sturdy powder coated steel for both indoor and outdoor use.

// High stability tripod

The SCANGRIP TRIPOD is indispensable for stationary positioning of the work light for illumination in a specific working area. The SCANGRIP TRIPOD is extendable from only 1.35m up to 3m which gives you complete flexibility to position the light in the requested height.


The stable construction of the SCANGRIP TRIPOD makes it safe even when fully extended. It is supplied with anchor points that provide an opportunity for extra stability if the tripod is exposed to strong wind or standing on an uneven surface. To increase safety when in use, the cable of the lamp can be fixed in the safety clips placed on each separate leg.

// Wheel stand for mobile positioning




The SCANGRIP WHEEL STAND makes it easy to move the light to where you need it, and at the same time avoids uncomfortable and heavy lifting from one workplace to the other. It is upgraded with a new base equipped with five wheels for improved safety and stability and easy maneuverability, two of which can be locked to secure a safe and fixed position.

As an additional feature, it now comes with a flexible bracket that enables you to easily position a second work light to illuminate from below. The extra mounting bracket is adjustable in the height and provides complete flexibility to position the light in the optimum height.



Welded steel mounting cap 10 mm thread

SCANGRIP TRIPOD
03.5431



360° locking system for a firm grip



WHEEL STAND
03.5682

DUAL BRACKET
03.5308



Dual bracket for positioning of two lamps on TRIPOD

SCAFFOLDING BRACKET
03.5341



For flexible positioning on scaffoldings or any round object ø40-50 mm




MAGNET BRACKET
03.5390

For flexible positioning of the work light on any magnetic surface



MAGNET BRACKET - Large
03.5391

For flexible positioning of NOVA 10K, NOVA 6 SPS, and NOVA 10 SPS on any magnetic surface



SCANGRIP DIFFUSER

// SCANGRIP DIFFUSER provides a large dispersion and spreads the light.

- Enlightens the entire working area, even into the darkest corner
- Softens the light avoiding hard shadows
- Minimizes reflections and harsh light
- Provides non-blinding work light



SCANGRIP DIFFUSER
03.5750

Fits NOVA 4K, NOVA 4K C+R and NOVA 4 SPS



SCANGRIP DIFFUSER - Large
03.5751

Fits NOVA 6K, NOVA 6K C+R, NOVA 12K, NOVA 6 SPS and NOVA 10 SPS



Easy and safe mounting with strong magnets



FLASHLIGHT series

// SCANGRIP provides the strongest and most comprehensive range of LED work lights on the market. We are now proud to present an upgraded and re-designed flashlight series providing extremely high light output and improved functionality for an even better user experience.

The new flashlights are available both as rechargeable and with batteries, providing brand-new features and accessories to increase work efficiency.

- BOOST MODE
- Practical clip-on holster for the work belt
- One-hand operated magnetic switch
- Higher lumen output
- Long operation time



Boost mode

The new flashlight series is supplied with a BOOST MODE enabling you to double the lumen output with a simple one-hand operation. Push the magnetic, electronic switch for two seconds to activate boost mode.

The flashlight automatically turns to normal mode after 60 seconds.



Clip-on holster

Sturdy and practical clip-on holster for the work belt for easy carrying everywhere you go. Compared to the nylon belt pouch, the new clip-on holster provides free access to the flashlight. You simply put the flashlight into the holder and rotate it to lock it in place.

Can also be mounted on the edge of a workbench for easy storage.



Focus function

By means of the focus function you can vary the beam angle, from concentrated and focused light beam angle to long-distance light.

Ergonomic design


The elegant, fine grooved metallic surface of the flashlights provides an ergonomic, firm and user-friendly grip.

High durability

The housing is made of anodised aluminum with a high impact resistance making the flashlights extremely sturdy and durable. Waterproof, IP54.

Wrist strap

The soft and handy silicone wrist strap provides a secure operation while keeping the flashlight close at hand at all times.



ORIGINAL
SCANGRIP
SINCE 1906

3
year
warranty

PATENT PROTECTED

*Power supply is not included and is required to be purchased separately

FLASH series with batteries

// The new durable flashlight series with Alkaline batteries is designed for the rough and demanding work environment providing high-quality flashlights for all types of inspection tasks.

EU DESIGN PATENT 7180187

FLASH 300 and FLASH 600 include a silicone wrist strap and clip-on holster.

Rechargeable FLASH R series

// Sturdy and powerful flashlights of extraordinary high quality providing extremely bright illumination and durability. Easily recharged by the enclosed USB cable.

EU DESIGN PATENT 7180187

FLASH 1000 R and FLASH 600 R include a silicone wrist strap and clip-on holster.

The new WORK PEN 200 R is a real work light for professional inspection work. It is extremely powerful for its small size. Supplied with a clip for the chest pocket and built-in magnets for flexible positioning.

BOOST MODE



NEW
Powerbank with battery indicator

Designed for the I-VIEW headlamp but can be used for recharging any SCANGRIP work light as well as other devices. Featuring battery indicator and intelligent load detection. Modern and durable design.

The new ultra-slim FLASH PENCIL

A must-have for anyone doing daily inspection tasks. At only ø15 mm it is extremely thin. Supplied with a clip and designed to always have in the chest pocket, right at your fingertips.

Weighing only 32 g the FLASH PENCIL is incredibly lightweight.



Pocket sized FLASH 12-24V

With a new brushed-up look, the FLASH 12-24V is designed to easily charge directly from the cigarette lighter socket in your car. No need of charger device, cable, or batteries!

FLASH 12-24V
03.5124

Rechargeable flashlight providing 130 lumen

SCANGRIP POWERBANK
03.5782

4000mAh aluminum powerbank

FLASH PENCIL
03.5130

Ultra-slim pencil flashlight providing 75 lumen

FLASH PEN
03.5131

Pencil flashlight with boost mode providing up to 200 lumen

FLASH 300
03.5132

Flashlight with boost mode providing up to 300 lumen

FLASH 600
03.5133

Flashlight with boost mode providing up to 600 lumen

FLASH 1000 R
03.5138

Rechargeable flashlight with boost mode providing up to 1000 lumen

FLASH 600 R
03.5137

Rechargeable flashlight with boost mode providing up to 600 lumen

FLASH PEN R
03.5136

Rechargeable pencil flashlight with boost mode providing up to 300 lumen

WORK PEN 200 R
03.5127

Rechargeable LED penlight providing up to 200 lumen



LINE LIGHT – Unique lighting concept

// LINE LIGHT is a flexible lighting solution for universal application designed for use anywhere where strong, efficient and concentrated light in a specific working area is needed.

- “Unbreakable” – extremely sturdy and shockproof
- Waterproof to resist wet and dirty workshop environment
- Low voltage 24V DC
- Technical lifetime of LEDs 100,000 hours



// Bright illumination exactly where you need it

By means of a built-in prism, LINE LIGHT concentrates the light at a 75° beam angle providing an extremely bright and powerful illumination of the specific working area. The concentrated beam avoids glare, and the light itself can be turned to provide the optimum lighting angle.

// Innovative LED technology

The LINE LIGHT series is based on the newest state-of-the-art LED technology. LINE LIGHT provides almost double the illumination compared to the traditional 36W fluorescent tubes which are commonly used within the industry. The quality of the light is extremely powerful, like daylight which is optimum for precise recognition of colours, shades and other product details. The uniform, flicker-free illumination without strobe effects also minimises the risk of accidents.

// Extreme durability

LINE LIGHT is constructed by a closed “unbreakable” extruded acrylic profile which makes it extremely sturdy and shockproof to endure even strong strokes, shocks and vibrations from industrial machinery. LINE LIGHT endures the rough, wet and dirty conditions of the professional working environment within the industry and is resistant to both oil and chemicals. The IP67 classification means that it is resistant to both dust and water. LINE LIGHT is completely maintenance free.

// Reduced power consumption

Compared to traditional fluorescent tube lighting, LINE LIGHT only consumes half the amount of electricity which presents significant cost savings on electricity.

EU DESIGN
PATENT
1882523



ULTRA
SLIM
DESIGN
Ø25mm

BEAM
ANGLE
75°



IP67

1:1

3
year
warranty



PATENT PROTECTED

FLEXIBLE lighting units for customised installations

ORIGINAL
SCANGRIP
SINCE 1906
MADE IN DENMARK

The LINE LIGHT lighting units are available in different lengths which can either be used alone or connected in a string to fit all kinds of applications.

The lighting units can be combined exactly the way you want offering a flexible lighting solution.



// Flexibility that meets your specific needs

Combine lighting units with power supply*, cable and suitable suspensions. A range of flexible suspensions makes it possible to position the lighting units exactly where you need it.

DESIGN YOURSELF

- | | | | |
|---|---|--|--|
| 
LINE LIGHT 75
03.5221

Lighting unit
838mm
providing 550 lumen | 
LINE LIGHT 120
03.5222

Lighting unit
1234mm
providing 900 lumen | 
LINE LIGHT 160
03.5223

Lighting unit
1630mm
providing 1300 lumen | 
LINE LIGHT 200
03.5224

Lighting unit
2027mm
providing 1600 lumen |
|---|---|--|--|




3
year
warranty

PATENT PROTECTED


*Power supply is not included and required to be purchased separately

MAG series



	MAG PEN 3	MINI MAG PRO	MAG	MAG PRO
Product number	03.5116	03.5692	03.5400XX	03.5690XX
Light source	COB LED Spot: CREE XP-G2	COB LED Spot: High power LED	10 SMD LEDs Spot: High power LED	COB LED Spot: High power LED
LED performance, lumen/W	180	165	118	185
Luminous flux, lumen	15-150 Spot: 80	20-200 Spot: 80	150-300 Spot: 80	60-600 Spot: 150
Illuminance, lux@0.5 m	200 Spot: 2000	35-350 Spot: 700	250-500 Spot: 850	90-900 Spot: 2000
Adjustable light output	Stepless	Stepless	2 levels	Stepless
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000K K	6000 K	6000 K
Operating time with max. lumen, h	2	2	2.5	1.5
Operating time with min. lumen, h	20	20	5	15
Charging time, h	3.5	3	4	4
Battery	3.7V / 750 mAh Li-ion	3.7V / 1200 mAh Li-ion	3.7V / 2200 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP20	IP54	IP20	IP54
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m
Cable	1 m USB	1 m USB	1 m USB	1 m USB
Operating voltage AC	-	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	Max 2.5 W	Max 2.5 W	Max 3.5 W	Max 6.5 W
Charger incl.	No	No	No	No
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	174 x 31 x 21 mm	200 x 40 x 28 mm	260 x 61 x 43 mm	261 x 62 x 43 mm
Net weight	78 g	157 g	252 g	339 g

UNIFORM series




	UNIPEN	MINIFORM	UNIFORM	UV-FORM
Product number	03.5420	03.5404XX	03.5407AU	03.5408XX
Light source	COB LED Spot: High power LED	COB LED Spot: High power LED	COB LED Spot: High power LED	COB LED Spot: High power UV-light
LED performance, lumen/W	125	165	150	128
Luminous flux, lumen	75-150 Spot: 75	100-200 Spot: 75	250-500 Spot: 175	125-250 Spot: UV
Illuminance, lux@0.5 m	125-250 Spot: 900	100-200 Spot: 800	475-950 Spot: 6000	200-400 Spot: UV
Adjustable light output	2 levels	2 levels	2 levels	2 levels
Beam angle	-	110°	-	-
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K	6000 K
Operating time with max. lumen, h	2	3	2	2.5
Operating time with min. lumen, h	4	6	4.5	5
Charging time, h	2.5	3	5	3
Battery	3.7V / 750 mAh Li-ion	3.7V / 1600 mAh Li-ion	3.6V / 3000 mAh Li-ion	3.7V / 1600 mAh Li-ion
Protection class	IP65	IP65	IP65	IP20
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m
Cable	1 m USB	1 m USB	1 m USB	1 m USB
Operating voltage AC	-	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	Max 1.5 W	Max 1.5 W	Max 6 W	Max 3 W
Charger incl.	No	No	Yes	No
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	155 x 27 x 21 mm	122 x 60 x 28 mm	190 x 60 x 32 mm	155 x 60 x 32 mm
Net weight	80 g	130 g	263 g	156 g

SLIM series



	MINI SLIM	SLIM
Product number	03.5610XX	03.5612XX
Light source	COB LED Spot: High power LED	COB LED Spot: High power LED
LED performance, lumen/W	170	155
Luminous flux, lumen	100-200 spot: 100	250-500 spot: 100
Illuminance, lux@0.5 m	150-400 spot: 5200	400-800 spot: 4800
Adjustable light output	2 levels	2 levels
CRI	Ra > 80	Ra > 80
CCT	6000 K	6000 K
Operating time with max. lumen, h	2.5	2.5
Operating time with min. lumen, h	5	5
Charging time, h	3	4.5
Battery	3.7V/1200 mAh Li-ion	3.6V/3000 mAh Li-ion
Protection class	IP30	IP30
Impact protection	IK07	IK07
Impact resistance	1 m	1 m
Cable	1 m USB	1 m USB
Operating voltage AC	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A
Power consumption	Max 2 W	Max 4 W
Charger incl.	Country depended	Country depended
Temperature	-10° to +40°C	-10° to +40°C
Dimensions	132 x 41 x 30 mm	165 x 44 x 28 mm
Net weight	101 g	224 g

LINE LIGHT inspection



	LINE LIGHT C+R	LINE LIGHT R
Product number	03.5243AU	03.5244XX
Light source	36 SMD LED Spot: CREE XP-G2	20 SMD LED Spot: CREE XP-G2
LED performance, lumen/W	189	189
Luminous flux, lumen	900 Spot: 150	600 Spot: 150
Illuminance, lux@0.5 m	1800 Spot: 1500	1200 Spot: 1500
Adjustable light output	No	No
Beam angle	75° Spot: 50°	75° Spot: 50°
CRI	Ra > 80	Ra > 80
CCT	6500 K	6500 K
Operating time with max. lumen, h	2.5 Spot: 8	1.5 Spot: 4
Operating time with min. lumen, h	-	-
Charging time, h	4	6
Battery	3.7V / 5200 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP65	IP65
Impact protection	IK07	IK07
Impact resistance	1 m	1 m
Cable	5 m / 2x1 mm² H05RN-F	1 m USB
Operating voltage AC	-	-
Charging voltage/current DC	4.2 V / 3.5 A	5 V / 1 A
Power consumption	Max 8 W	Max 5.5 W
Charger incl.	Yes	Country depended
Temperature	-10° to +40°C	-10° to +40°C
Dimensions	ø25 x 461 mm	ø25 x 357 mm
Net weight	300 g	220 g

LINE LIGHT bonnet

	LINE LIGHT BONNET C+R
Product number	03.5240AU
Light source	64 SMD LED
LED performance, lumen/W	189
Luminous flux, lumen	700-1400
Illuminance, lux@0.5 m	1000-2000
Adjustable light output	2 levels
Beam angle	75°
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	1.5
Operating time with min. lumen, h	3
Charging time, h	4
Battery	3.7V / 5200 mAh Li-ion
Protection class	IP65
Impact protection	IK07
Impact resistance	1 m
Cable	5 m / 2x1.0 mm² H05RN-F
Operating voltage AC	-
Charging voltage/current DC	4.2 V / 3.5 A
Power consumption	Max 13 W
Charger incl.	Yes
Temperature	-10° to +40°C
Dimensions	ø25 x 1017 mm
Net weight	470 g (980 g incl. rack)

All Alkaline products are tested according to the ANSI/NEMA FL-1 standard

Optional accessory for 03.5626 I-VIEW

Headlights

	ZONE	I-VIEW	NIGHT VIEW
Product number	03.5426	03.5626	03.5438XX
Light source	COB LED	COB LED	Ultra high CRI + COB LED
LED performance, lumen/W	160	175	100
Luminous flux, lumen	75-150	40-400	80-160
Illuminance, lux@0.5 m	200-400	100-1000	250-500
Adjustable light output	2 levels	Stepless	2 levels
Beam angle	120° / 60°	120° / 60°	120° / 60°
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K RED 632nm
Operating time with max. lumen, h	2	1.5	2.5
Operating time with min. lumen, h	4	15	5
Charging time, h	3	3.5	4
Battery	3.7V/800 mAh Li-on	3.8V / 1600 mAh Li-on	3.8V / 1600 mAh Li-on
Protection class	IP30	IP65	IP65
Impact protection	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m
Cable	1 m USB	1 m USB	1 m USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	Max 2 W	Max 3.25 W	Max 3 W
Charger incl.	No	No	Country depended
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	97 x 31 x 28 mm	100 x 50 x 38 mm	105 x 52 x 43 mm
Net weight	66 g	100 g	130 g

POWERBANK	
Product number	03.5782
Light source	-
LED performance, lumen/W	-
Luminous flux, lumen	-
Illuminance, lux@0.5 m	-
Adjustable light output	-
Beam angle	-
CRI	-
CCT	-
Operating time with max. lumen, h	-
Operating time with min. lumen, h	-
Charging time, h	3
Battery	3.65 V / 4000 mAh
Protection class	IP20
Impact protection	IK07
Impact resistance	1 m
Cable	Spiral cable
Operating voltage AC	-
Charging voltage/current DC	5 V / 2 A
Power consumption	Max 8 W
Charger incl.	-
Temperature	-10° to +40°C
Dimensions	ø28 x 10.3 mm
Net weight	132 g

NOVA cable series

	NOVA 4K	NOVA 12K
Product number	03.5440AU	03.5444AU
Light source	High efficiency COB LED	High efficiency COB LED
LED performance, lumen/W	160	170
Luminous flux, lumen	400-4000	1200-12000
Illuminance, lux@0.5 m	600-6000	1800-18000
Adjustable light output	5 levels	5 levels
CRI	Ra > 80	Ra > 80
CCT	6000 K	6000 K
Operating time with max. lumen, h	-	-
Operating time with min. lumen, h	-	-
Battery	-	-
Protection class	IP67	IP67
Impact protection	IK07	IK07
Impact resistance	1 m	1 m
Cable	5 m / 3x1 mm ² H05RN-F	5 m / 3x1 mm ² H05RN-F
Operating voltage AC	100-240 V	100-240 V
Charging voltage/current DC	-	-
Power consumption	Max 30 W	Max 86 W
Charger incl.	-	-
Temperature	-10° to +40°C	-10° to +40°C
Dimensions	235 x 88 x 233 mm	302 x 102 x 298 mm
Net weight	2.15 kg	4 kg

STAR

	STAR
Product number	03.5620XX
Light source	COB LED
LED performance, lumen/W	140
Luminous flux, lumen	500-1000
Illuminance, lux@0.5 m	800-1600
Adjustable light output	2 levels
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	2.5
Operating time with min. lumen, h	5
Charging time, h	8
Battery	3.7V/5200 mAh Li-ion
Protection class	IP65
Impact protection	IK07
Impact resistance	1 m
Cable	1 m USB
Charging voltage/current DC	5 V / 1 A
Power consumption	Max 8.5 W
Charger incl.	Country depended
Temperature	-10° to +40°C
Dimensions	156 x 103 x 98 mm
Net weight	620 g

NOVA rechargeable series

	NOVA MINI	NOVA R	NOVA 4K C+R	NOVA 6K C+R
Product number	03.6010	03.5456AU	03.5441AU	03.5443AU
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
LED performance, lumen/W	155	160	170	160
Luminous flux, lumen	100-1000	200-2000	400-4000	600-6000
Illuminance, lux@0.5 m	150-1500	300-3000	500-5000	800-8000
Adjustable light output	Stepless	5 levels	5 levels	5 levels
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K	6000 K
Operating time with max. lumen, h	1.5	2	1	1
Operating time with min. lumen, h	15	20	14	12
Charging time, h	5	5	2	2
Battery	3.65V / 4000 mAh	7.3V / 4000 mAh Li-ion	11.1V / 4400 mAh Li-ion	11.1V / 5200 mAh Li-ion
Protection class	IP65	IP67	IP67	IP67
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m
Cable	1 m USB	1 m USB	5 m / 2x0,75 mm ² H05RN-F	5 m / 2x0,75 mm ² H05RN-F
Operating voltage AC	-	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 2 A	12.6 V / 2.4 A	12.6 V / 4.3 A
Power consumption	Max 10 W	Max 16 W	Max 29 W	Max 42 W
Charger incl.	No	Yes	Yes	Yes
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	104 x 38 x 96 mm	163 x 63 x 163 mm	235 x 88 x 233 mm	267 x 87 x 262 mm
Net weight	254 g	790 g	2.3 kg	2.91 kg

Accessories

	CHARGER FOR NOVA 3K C+R	CHARGER FOR NOVA 5K C+R	IN CAR CHARGING CABLE
Product number	03.5335AU	03.5336AU	03.5342
Dimensions	195 x 125 x 85 mm	250 x 120 x 85 mm	206 x 96 x 34 mm

Accessories

	MAGNETIC HOOK	MAGNETIC GOOSENECK	SUCTION GOOSENECK
Product number	03.5312	03.5218	03.5219
Dimensions	156 x 45 x 45 mm	275 x 65 x 65 mm	275 x 65 x 65 mm

Accessories

	MAGNETIC CLIP HOLDER	CLIP - 1 PC. - INCL. FITTINGS	MAGNET - WITH SMALL CLIP - Ø30 MM
Product number	03.5257	03.5214	03.5246
Dimensions	100 x 65 x 65 mm	90 x 40 x 30 mm	60 x 50 x 40 mm

Accessories

	USB CABLE	AU CHARGING PLUG 5V 2A	AU CHARGING PLUG 5V 1A
Product number	03.5307	03.5373AU	03.5368
Dimensions	95 x 35 x 20 mm	60 x 20 x 40 mm	60 x 40 x 20 mm

NOVA SPS series



AREA 10 SPS



	NOVA 4 SPS	NOVA 6 SPS	NOVA 10 SPS	AREA 10 SPS
Product number	03.6000AU	03.6001AU	03.6002AU	03.6009AU
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED	224 SMD LEDs
LED performance, lumen/W	175	185	185	177
Luminous flux, lumen	400-4000	600-6000	1000-10000	360°: 1000-10000 / 180°: 500-5000
Illuminance, lux@0.5 m	600-6000	900-9000	1600-16000	300-30000
Adjustable light output	5 levels	5 levels	5 levels	5 levels
Beam angle	115°	115°	115°	360° / 180°
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K	6000 K
Operating time with max. lumen, h	1.5	2	1	360°: 1 / 180°: 2
Operating time with min. lumen, h	15	20	10	360°: 10 / 180°: 20
Charging time, h	1.5*	2*	1.5*	2*
Battery	11.1V / 4000 mAh Li-ion	11.1V / 8000 mAh Li-ion	11.1V / 8000 mAh Li-ion	11.1V / 8000 mAh Li-ion
Protection class	IP67	IP67	IP67	IP65
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m
Charging voltage/current DC	12.6 V / 2.8 A	12.6 V / 4 A	12.6 V / 6.8 A	12.6 V / 6.8 A
Power consumption	Max 30 W	Max 45 W	Max 75 W	Max 84 W
Battery incl.	SPS BATTERY 03.6003	SPS BATTERY 03.6004	SPS BATTERY 03.6004	SPS BATTERY 03.6004
Charger incl.	SPS CHARGING SYSTEM 35W 03.6006AU	SPS CHARGING SYSTEM 50W 03.6007AU	SPS CHARGING SYSTEM 85W 03.6008AU	SPS CHARGING SYSTEM 85W 03.6008AU
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	240 x 230 x 104 mm	270 x 260 x 120 mm	305 x 290 x 125 mm	380 x 198 x 198 mm
Net weight	1.97 kg	2.69 kg	3.6 kg	3.8 kg

* 80%

SCANGRIP POWER SOLUTION accessories



	SPS BATTERY 4Ah	SPS BATTERY 8Ah	SPS CHARGING SYSTEM 35W	SPS CHARGING SYSTEM 50W	SPS CHARGING SYSTEM 85W
Product number	03.6003	03.6004	03.6006AU	03.6007AU	03.6008AU
Battery	11.1V / 4000 mAh Li-ion	11.1V / 8000 mAh Li-ion	-	-	-
Charging voltage, current DC	12.6V / 2.8A	12.6V / 6.8A	12.6V / 2.8A	12.6V / 4A	12.6V / 6.8A
Cable	-	-	5 m / 2x0.75 mm ² H05RN-F	5 m / 2x0.75 mm ² H05RN-F	5 m / 2x0.75 mm ² H05RN-F
Charger input voltage	-	-	100-240V AC 50/60Hz	100-240V AC 50/60Hz	100-240V AC 50/60Hz
Power consumption	-	-	Max 35W	Max 50W	Max 85W
Charging time, h	1.5*	1.5*	-	-	-
Protection class	IP67	IP67	IP67	IP67	IP67
Impact protection	IK07	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m	1 m
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	103 x 75 x 40 mm	103 x 75 x 62 mm	139 x 75 x 40 mm	139 x 75 x 49 mm	139 x 75 x 49 mm
Net weight	320 g	560 g	650 g	700 g	760 g

* 80%

FLASH series



	FLASH PENCIL	FLASH PEN	FLASH 300	FLASH 600
Product number	03.5130	03.5131	03.5132	03.5133
Light source	LUMILEDS	CREE	CREE	CREE
LED performance, lumen/W	124	142	165	165
Luminous flux, lumen	75	100-200	150-300	300-600
Illuminance, lux@0.5 m	1500	500-8000	600-10000	1000-20000
Adjustable light output	No	BOOST mode	BOOST mode	BOOST mode
Beam angle	15°	10°-60°	10°-60°	10°-60°
Beam distance	40 m	80 m	100 m	150 m
CRI	Ra > 70	Ra > 70	Ra > 65	Ra > 65
CCT	6000 K	6000 K	6000 K	6000 K
Operating time with max. lumen, h	2.5	3.5	3	2
Operating time with min. lumen, h	-	-	-	-
Charging time, h	-	-	-	-
Battery	2xAAAA / 1.5 V Alkaline	2xAAA / 1.5 V Alkaline	3xAAA / 1.5 V Alkaline	2xC / 1.5 V Alkaline
Protection class	IP54	IP54	IP54	IP54
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m
Cable	-	-	-	-
Charging voltage/current DC	-	-	-	-
Power consumption	Max 1.6 W	Max 1.2 W	Max 4.8 W	Max 7 W
Charger incl.	-	-	-	-
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	ø15 x 131mm	ø20 x 153mm	ø32 x 133mm	ø36 x 174mm
Net weight	32 g	62 g	122 g	292 g

FLASH R series



	FLASH 12-24V	WORK PEN 200 R	FLASH PEN R	FLASH 600 R	FLASH 1000 R
Product number	03.5124	03.5127	03.5136	03.5137	03.5138
Light source	SAMSUNG LED	COB LED / CREE	CREE	CREE	CREE
LED performance, lumen/W	140	120	165	165	148
Luminous flux, lumen	130	20-200 Spot: 150	150-300	300-600	500-1000
Illuminance, lux@0.5 m	900-8000	400 Spot: 3500	600-10000	1000-20000	3000-60000
Adjustable light output	No	Stepless	BOOST mode	BOOST mode	BOOST mode
Beam angle	10°-70°	105° / 20°	10°-60°	10°-70°	10°-60°
Beam distance	100 m	40 m	100 m	150 m	250 m
CRI	Ra > 70	Ra > 80	Ra > 65	Ra > 65	Ra > 70
CCT	6000 K	6000 K	6000 K	6000 K	6000 K
Operating time with max. lumen, h	1	1	7	7	5
Operating time with min. lumen, h	-	10	-	-	-
Charging time, h	2	2.5	3	4	4
Battery	3.7 V / 550 mAh Li-ion	3.7 V / 750 mAh Li-ion	3.7V / 1100 mAh Li-ion	3.7V / 2600 mAh Li-ion	3.7V / 4000 mAh Li-ion
Protection class	IP30	IP30	IP54	IP54	IP54
Impact protection	IK07	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m	1 m
Cable	Cigarette Plug Connector	1 m USB	1 m USB	1 m USB	1 m USB
Charging voltage/current DC	10-28 V	5 V / 1 A	5 V / 1 A	5 V / 1 A	5 V / 2 A
Power consumption	Max 2 W	4 W	4 W	6 W	12 W
Charger incl.	No	No	No	No	No
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	ø30 x 105 mm	ø21 x 172 mm	ø24 x 169 mm	ø38 x 185 mm	ø42 x 196 mm
Net weight	88 g (100 g with cover)	54 g	83 g	253 g	345 g

SCANGRIP flashlights are tested according to the ANSI/NEMA FL1 standard



LINE LIGHT series

	LINE LIGHT 75	LINE LIGHT 120	LINE LIGHT 160	LINE LIGHT 200
Product number	03.5221	03.5222	03.5223	03.5224
Light source	96 SMD LED	156 SMD LED	216 SMD LED	276 SMD LED
LED performance, lumen/W	140	140	140	140
Luminous flux, lumen	600	1000	1400	1800
Illuminance, lux@0.5 m	1300	1600	1600	1600
Adjustable light output	No	No	No	No
Beam angle	75°	75°	75°	75°
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K	6000 K
Operating time with max. lumen, h	-	-	-	-
Operating time with min. lumen, h	-	-	-	-
Charging time, h	-	-	-	-
Battery	-	-	-	-
Protection class	IP67	IP67	IP67	IP67
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m	1 m
Cable	-	-	-	-
Operating voltage AC	-	-	-	-
Charging voltage/current DC	24 V	24 V	24 V	24 V
Power consumption	Max 9 W	Max 15 W	Max 20 W	Max 26 W
Charger incl.	-	-	-	-
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	ø25 x 838 mm	ø25 x 1234 mm	ø25 x 1630 mm	ø25 x 2027 mm
Net weight	500 g	600 g	700 g	800 g

Combine LINE LIGHT lighting units with power supply*, cable and suitable suspensions. A range of flexible suspensions makes it possible to position the lighting units exactly where you need it. Go to our website to see all accessories available.

*Power supply is not included and required to be purchased separately





// SCANGRIP is Europe's leading manufacturer of work lights for professionals, providing the strongest and most comprehensive range of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark: All products are designed and developed by SCANGRIP in Denmark and manufactured at our own factories.

SCANGRIP receives strong recognition in the marketplace for its product design and our products are known for the highest quality.

SCANGRIP strives for perfection and is continuously optimising and improving light output, battery capacity, design and ergonomics, durability, user-friendliness and functionality. The aim is to set new standards for professional work lights, flashlights and EX PROOF work lights.

SCANGRIP was established in 1906 and has been manufacturing high quality hand tools for the industrial and automotive sectors for more than 115 years.

Distributed by
HELLA AUSTRALIA PTY LTD

4 Hargrave Place,
P.O. Box 89,
Mentone, Victoria, 3194, Australia

Techline: 1800 061 729

info.au@hella.com

hella.com.au

© HELLA Australia 2021